

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	MI AKINEN-OLIVIER.in. and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/04 14:57
S1	1975	SNMP and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 15:58
S2	16	SNMP and (complex with request\$1) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:02
S3	353	SNMP and (complex) and filter \$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:03
S4	66	SNMP and ((complex) same filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:03
S5	31	SNMP and ((complex) with filter \$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:03
S6	1	SNMP same ((complex) with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 14:13
S7	31	SNMP and ((complex) with filter \$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:05

S8	2	(SNMP same ((complex) same filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:07
S9	136	(SNMP same filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:07
S10	1	(SNMP same filter\$3) and (complex near1 request\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:07
S11	2	(SNMP same filter\$3) and (complex near1 command) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:30
S12	8	(SNMP with filter\$3 with QMIP) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:39
S13	9	(SNMP same filter\$3 same QMIP) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:44
S14	54	(SNMP with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:45
S15	2	(SNMP near1 request\$1 with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 17:52
S16	4	(SNMP near3 request\$1 with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 18:01

S17	0	SNMP same ((transform\$1) with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 14:13
S18	9	SNMP and ((transform\$1) with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 15:57
S19	2	("6012095").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:57
S20	2	(SNMP with filter\$3 with conditions) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:18
S21	3	(OMI P near2 filter\$3 with conditions) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:18
S22	1	(OMI P near2 filter\$3) same (SNMP near2 filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:20
S23	8	(OMI P with filter\$3) same (SNMP with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:55
S24	2	("5541911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 16:53
S25	1064438	(OMI P same SNMP filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:55

S26	9	(OMI P same SNMP same filter \$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:58
S27	33	(OMI P same SNMP same translat \$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:58
S28	11	(OMI P same SNMP same translat \$3) and filter\$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:58
S29	9	(OMI P with SNMP same translat \$3) and filter\$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:58
S30	9	(OMI P with SNMP with translat \$3) and filter\$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 16:58
S31	3	(OMI P with SNMP with translat \$3) and (SNMP with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:00
S32	9	(OMI P with SNMP with translat \$3) and (filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:02
S33	4	(OMI P with SNMP with convert \$3) and (filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:22
S34	0	(OMI P and SNMP adj2 filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:23

S35	12	(CMI P and SNMP with filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:56
S36	5	(CMI P and SNMP near3 filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:25
S37	12	(SNMP near3 filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:25
S38	7	(SNMP adj3 filter\$3) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:44
S39	2	("0822569").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 17:45
S40	2	("5822569").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 17:45
S41	216	(filter\$3 with boolean) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:56
S42	17	(filter\$3 with boolean) and SNMP and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:57
S43	0	(filter\$3 with boolean) same SNMP and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:57

S44	17	(filter\$3 with boolean) and SNMP and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:57
S45	8	(filter\$3 with boolean) with false with true and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 17:59
S46	5	(filter\$3 with boolean) and logicals with false with true and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 18:00
S47	10	(filter\$3 with logicals with false with true) and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 18:02
S48	1	(filter\$3 with logicals with false with true with "or")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 18:01
S49	5	(filter\$3 with logicals with false with true) and convert\$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 18:05
S50	10	(filter\$3 with conditions with false with true) and convert\$3 and @ad<="19990628"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/08 18:05
S51	28	SNMP and (complex with request\$1) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:46
S52	280	SNMP and ((complex) same filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:46

S53	226	SNMP and ((complex) with filter \$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:46
S54	226	SNMP and ((complex) with filter \$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:46
S55	2	SNMP same ((complex) same filter\$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:46
S56	166	(SNMP same filter\$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:47
S57	166	(SNMP same filter\$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:47
S58	1	(SNMP same filter\$3) and (complex near1 request\$3) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:47
S59	2	(SNMP same filter\$3) and (complex near1 command) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:47
S60	9	(SNMP with filter\$3 with CMI P) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:48
S61	11	(SNMP same filter\$3 same CMI P) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:48

S62	73	(SNMP with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:48
S63	2	(SNMP near1 request\$1 with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:48
S64	4	(SNMP near3 request\$1 with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:48
S65	167	SNMP and ((transform\$1) with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:49
S66	4	(SNMP with filter\$3 with conditions) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:49
S67	3	(CMI P near2 filter\$3 with conditions) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:49
S68	1	(CMI P near2 filter\$3) same (SNMP near2 filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:49
S69	9	(CMI P with filter\$3) same (SNMP with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:50
S70	11	(CMI P same SNMP same filter \$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:50

S71	36	(CMI P same SNMP same translat \$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:50
S72	10	(CMI P with SNMP same translat \$3) and filter\$3 and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:50
S73	3	(CMI P with SNMP with translat \$3) and (SNMP with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:51
S74	9	(CMI P with SNMP with translat \$3) and (filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:51
S75	4	(CMI P with SNMP with convert \$3) and (filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:51
S76	16	(CMI P and SNMP with filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:51
S77	19	(SNMP near\$3 filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:52
S78	13	(SNMP adj\$3 filter\$3) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:52
S79	310	(filter\$3 with boolean) and (@ad<="19990628" @rlad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:52

S80	310	(filter\$3 with boolean) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:53
S81	20	(filter\$3 with boolean) and SNMP and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:53
S82	20	(filter\$3 with boolean) and SNMP and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:53
S83	21	(filter\$3 with boolean) with false with true and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:53
S84	5	(filter\$3 with boolean) and logicals with false with true and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:54
S85	10	(filter\$3 with logicals with false with true) and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:54
S86	13	(filter\$3 with conditions with false with true) and convert\$3 and (@ad<="19990628" @riad<="19990628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 16:54
S87	1	("5931911").PN.	USPAT; USOCR	OR	OFF	2009/03/02 16:11

3/ 4/ 2009 2:57:34 PM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\09604919.wsp